



China Abec 9 Bearing Supplier



6217 Bearing 2D drawings and 3D CAD models

Koyo Timken SKF Snr NTN NACHI 6217 6218
 6219 6220 6221 6222 6224 6226 6228 6230 6232
 6234 6300 6301 6302 Deep Groove Ball Bearing

Bearing No. 6217

Size	85x150x28 mm
Bore Diameter	85 mm
Outer Diameter	150 mm
Width	28 mm
d	85 mm
D	150 mm
B	28 mm
C	28 mm
r min.	2 mm
da min.	95 mm
Da max.	140 mm
ra max.	2.0 mm
Weight	1.79 Kg
Basic dynamic load rating (C)	84 kN
Basic static load rating (C0)	62 kN
(Grease) Lubrication Speed	4200 r/min
Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	NACHI
Minimum Buy Quantity	N/A
Weight / Kilogram	0
Product Group	B00308
Enclosure	Open
Precision Class	ABEC 1 ISO P0



China Abec 9 Bearing Supplier

Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch - Metric	Metric
Long Description	85MM Bore; 150MM Outside Diameter; 28MM Outer Race Width; Open; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features; C0-Medium Internal Clearance; Steel Cage
Other Features	Deep Groove
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	http://www.nachiamerica.com
Inner Race Width	0 Inch 0 Millimeter
Outer Race Width	1.102 Inch 28 Millimeter
Outside Diameter	5.906 Inch 150 Millimeter
Bore	3.346 Inch 85 Millimeter
Bore Type	Cylindrical Bore
Configuration	Single Row
Bore Size	85 mm
Width	28 mm
Fillet Radius/Chamfer	2 mm
Dynamic Load Rating	84,000 N



China Abec 9 Bearing Supplier

Static Load Rating	62,000 N
Limiting Speed - Grease	4,300 rpm
Limiting Speed - Oil	5,000 rpm
Factor f_0	14.5
Radial Clearance	0.012 to 0.036 mm
da (min)	95 mm
Da (max)	140 mm
ra (max)	2 mm